

Secure by Design

A novel industry practice

CASTOR Software Days 2019
October 15, 2019
Daniel Deogun & Dan Bergh Johnsson



Disclaimer



This presentation is purely anecdotical. But, we would welcome rigorous studies.



About us



Daniel Deogun Coder and Quality Defender



Omegapoint




Dan Bergh Johnsson Secure Domain Philosopher



Take-aways

- Security is important but in practice often neglected
- A lot of security vulnerabilities are due to bugs
- Bugs can be prevented by software design
- Secure by Design collects designs that prevents bugs that manifest as security vulnerabilities



Some security vulnerabilities


- SQL Injection is often a confidentiality problem
- Business integrity problems
- Patch management

Observation: It is hard to think about security all the time - especially when you have work to do.





Secure by Design - as method







Examples of interesting designs

- Domain Primitives
- Consistent upon Creation
- Immutability of Objects
- Entity Snapshot
- Testing of extremes
- Taint analysis

- Faults as normal results
- Immutable builds
- Seamless deploy
- Stateless components
- Externalization of configuration
- · 3 R's of Enterprise Security





Domain Primitives

"A value object so precise in its definition that it, by its mere existence, manifests its validity is called a Domain Primitive."

- Secure by Design

Can only exist if its value is *valid*

Building block that's native to your domain

Valid in the *current context*

Immutable and resemble a value object in DDD





Quantity as a Domain Primitive

```
public final class Quantity {
   private final int value;
   public Quantity(final int value) {
      inclusiveBetween(1, 99, value);
      this value = value;
  //Domain specific quantity operations...
```





Untangle Inside - Cluttered Entity

```
class Order {
    private ArrayList<Object> items;
    private boolean paid;
    public void addItem(String isbn, int qty) {
        if(this.paid == false) {
            notNull(isbn);
            inclusiveBetween(10, 10, isbn.length());
            isTrue(isbn.matches("[0-9X]*"));
            isTrue(isbn.matches("[0-9]{9}[0-9X]"));
            Book book = bookCatalogue.findByISBN(isbn);
            if (inventory.availableBooks(isbn) >= qty) { |
                items.add(new OrderLine(book, qty));
   //Other logic...
```



https://flic.kr/p/wdBcT https://creativecommons.org/licenses/by/2.0/





De-Cluttered Entity

```
class Order {
    private ArrayList<Object> items;
    private boolean paid;
    public void addItem(ISBN isbn, Quantity qty) {
        notNull(isbn);
        notNull(qty);
        if(this.paid == false) {
            Book book = bookCatalogue.findByISBN(isbn);
            if (inventory.availableBooks(isbn).greaterOrEqualTo(qty)) {
                items.add(new OrderLine(book, qty));
    //Other logic...
```



https://flic.kr/p/wdBcT https://creativecommons.org/licenses/by/2.0/





The R's of Enterprise Security



Ref: Justin Smith, Pivotal (2) (a) justinjsmith







Advanced Persistent Threat (APT)


- APT is a type of attack that often result in significant data loss or damage.
- Performed over a long period of time & involves advanced techniques
- Several vulnerabilities in combination are often used to exploit the system
- Exploiting the fact that things seldom change
 - servers
 - credentials
 - ip-addresses
 - non-patched bugs tend to open up for attacks, e.g.
 - Baltimore City Ransomware
 - NotPetya attack on Ukraine
 - Heartbleed in OpenSSL



Richard Patterson https://flic.kr/p/24GcRZQ



Designs Inspired from the Cloud







The R's of Enterprise Security



Ref: Justin Smith, Pivotal (2) (a) justinjsmith








Take-aways

- Security is important but in practice often neglected
- A lot of security vulnerabilities are due to bugs
- Bugs can be prevented by software design
- Secure by Design collects designs that prevents bugs that manifest as security vulnerabilities



Thanks



